



RFL Electronics Inc.

INSTRUCTION DATA

RFL 9300 DCE Emulator 105880 105880-1




Figure 1. Typical RFL DCE Emulator, front panel view

DESCRIPTION

The RFL DCE Emulator shown in Figure 1, simulates a network that provides a clock source for the RFL 9300. It is normally used in back-to-back relay testing, or in single relay testing using a loopback connector. For back-to-back testing refer to paragraph 7.3 of the RFL 9300 Instruction Manual. For single relay testing refer to paragraph 8.2 of the RFL 9300 Instruction Manual. Refer to Figures 2 through 5 and Tables 1 and 2 of this document for more information.

Table 1. RFL DCE Emulator Characteristics

Assembly Number	Data Rate	Interface Type	Interface Cable Connector	Pinouts
105880	56 kb/s	RS-449	37-pin male	See Table 1
105880-1	64 kb/s	RS-449	37-pin male	See Table 1

SPECIFICATIONS

As of the date this Instruction Data Sheet was published, the following specifications apply to the RFL DCE Emulator. Because all RFL products undergo constant refinement and improvement, these specifications are subject to change without notice.

Signal Connector Type:

- P1: 37-pin female type D subminiature
- P2: 37-pin female type D subminiature

Data Rate: In accordance with Table 1.

Input Power Requirements:

5 Vdc @ <1Watt

Operating Temperature:

-30⁰C to +60⁰C (-22⁰F to +140⁰F)

Relative Humidity: 95 percent @ 40⁰C, non-condensing.

Dimensions:

Width: 5.13 inches (13 cm)
Height: 1.77 inches (4.5 cm)
Depth: 6.75 inches (17.1 cm)

Weight:

1 lb.

Mounting Dimensions: In accordance with Figure 4.

Table 2. Pinout Information

Signal	P1 connector	P2 connector
Ground	1	1
TXD	4	4
TXC	5	5
RXD	6	6
RXC	8	8
Common	19	19
TXD	22	22
TXC	23	23
RXD	24	24
RXC	26	26






Figure 2. Typical RFL DCE Emulator, front and rear views



a. Back-to-back setup using direct digital interface



b. Single relay test setup using direct digital interface

Figure 3. RFL DCE Emulator, typical applications




Figure 4. RFL DCE Emulator Mounting Dimensions




Figure 5. RFL DCE Emulator Schematic (C-105884-B)

NOTES

NOTICE

The information in this publication is proprietary and confidential to RFL Electronics Inc. No part of this publication may be reproduced or transmitted, in any form or by any means (electronic, mechanical, photocopy, recording, or otherwise), or stored in any retrieval system of any nature, unless written permission is given by RFL Electronics Inc.

This publication has been compiled and checked for accuracy. The information in this publication does not constitute a warranty of performance. RFL Electronics Inc. reserves the right to revise this publication and make changes to its contents from time to time. We assume no liability for losses incurred as a result of out-of-date or incorrect information contained in this publication.

Publication No. ID 105880
Printed in U.S.A.
New Issue October 29, 2002

RFL Electronics Inc.
353 Powerville Road
Boonton Township, NJ 07005-9151
Phone: (973) 334-3100
Fax: (973) 334-3863